

HYDRA-STORM 



RAIN MACHINE



CONTROL
VIA STANDARD
DMX



NON-DRIP
VALVES



INSTANT
ON/OFF



AUTO
FILLING



INTRODUCING HYDRA-STORM

HYDRA-STORM is a compact rain curtain engineered to simulate natural rainfall for a variety of productions.

Featuring 48 precision-controlled valves, the intensity of the rain can easily be adjusted through DMX control and onboard algorithms, allowing seamless customisation for any performance.

Compact, easy to control, and simple to rig, HYDRA-STORM delivers instant and controllable live rain effects, making it an ideal choice for a range of applications.

Designed for theatre, film, TV, live events, and installations in themed attractions, HYDRA-STORM integrates seamlessly into any production environment.

FEATURES

- 1m rain curtain effect
- 48 digitally controlled precision valves
- Compact design
- Instant on/off and variable water control
- DMX controllable for seamless integration
- Non-drip technology for clean performance



LUMINOUS[®]

Not servicing to qualified service personnel only



CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN



WARNING: THIS APPARATUS MUST BE EARTHED

MADE IN THE UK BY LUMINOUS SHOW TECHNOLOGY LTD



READ MANUAL
BEFORE USE

INSPIRATION

HYDRA-STORM offers a captivating visual rain effect, perfect for enhancing productions with its precise and controlled displays.

Whether creating dramatic moments on stage, elevating architectural installations, or bringing immersive entertainment to life, HYDRA-STORM provides a reliable, high-impact solution.

ACCESSORIES

To ensure optimal performance and ease of use, HYDRA-STORM can be supplied with a range of additional accessories:

- Robust supply hose with QRCs
- Catchment tank system
- Filling pump options
- Filter unit options
- Flight case options for transport and protection
- Cleaning kit
- Water treatment chemicals



Production Company: Theatr Cymru

Photography: Marc Brenner



SPECIFICATION

SIZE (L x W x H)	1010mm x 260mm x 268mm
WEIGHT	28kg
INPUTS	80-264 VAC DMX512
CONSTRUCTION	Steel Frame Stainless steel water manifold Powdercoat surface finish
FEATURES	Automatic filling Muting feature on output valves Water input and thru for daisy-chaining Internal filter Manual isolation valves
CONNECTIONS	True1 powerCON connector (in/out) DMX512 5pin XLR IN/THRU

*Specifications are approximate.



LUMINOUS[®]

+44 (0)1392 241225

sales@luminous-showtech.com

www.luminous-showtech.com

Unit 14, Apple Lane, Exeter, EX2 5GL

