www.luminous-showtech.com

SHOCK-WAVE



FAST ACTING

LOW MAINTENANCE

ZERO CONSUMERABLES

ECO-FRIENDLY

PNEUMATIC WATER CANNON

INTRODUCING SHOCK-WAVE

SHOCK-WAVE produces a powerful effect in one big blast. Engineered to shoot water an impressive 25-30 metres in the air, this high-powered jet guarantees to be a crowd-pleaser. Ideal for stadium productions, large festivals, and themed attractions.






Adjustable Firing Angle

Portable and versatile, the SHOCK-WAVE is engineered to energise crowds with its dynamic water display. The Water Cannon offers an eco-friendly alternative to traditional confetti or CO_2 burst effects, requiring only water. Its sleek, modern design integrates seamlessly with any stage setup, ideal for showcasing the sudden impact of SHOCK-WAVE.

FEATURES

- Powerful water projection up to approx. 30 metres
- Compressed air mortar with optional compressor integration
- Adjustable firing angle for various types of stage productions
- Portable structure for simple transportation
- Easy-to-refill tube and built-in water filter
- Simple mains-operated firing system



Concept image

Engineered by LUMINOUS


INSPIRATION

SHOCK-WAVE is the ultimate special effect for large events and immersive attractions. The Water Cannon offers a truly unique sensory experience for audiences. Perfectly synchronised eruptions from multiple units creates a huge effect that can elevate an entire event.

Whether enhancing a high-energy festival, adding drama to a concert, or immersing audiences in a themed event, SHOCK-WAVE is your go-to solution for unforgettable SFX.



Portable Design









ACCESSORIES

Designed for minimal maintenance, SHOCK-WAVE comes with additional options to ensure smooth operation:

- Water treatment chemicals to maintain system efficiency
- External tank with pump, filtration, and fill hoses
- Nitrogen fill kit, with regulator and high pressure hoses
- Remote compressor and air hoses
- Mortar cleaning kit for long-term care and reliability
- Flight case systems for secure and easy transportation



Blasts up to 30m







SPECIFICATION

SIZE (L X W X H)	1450 x 1000 x 1860 mm
INPUTS	Firing Control - 230VAC 12-24 Vdc / 100-250 Vac Compressed Air/Nitrogen - 16BAR
CONSTRUCTION	Steel Frame Stainless steel seamless mortar tube Powdercoat surface finish
FEATURES	Built-in castors Adjustable firing angle Manual drain Pressure gauge Safety relief valve (self resetting) Built-in water filter
CONNECTIONS	True1 powerCON connector (in/out) 4mm banana plugs for DC input QRC water connection QRC gas connection

*Specifications are approximate and may change on the final design.

CONTACT US

+44 (0) 1392 241225

sales@luminous-showtech.com

www.luminous-showtech.com

Unit 14, Apple Lane, Exeter, EX2 5GL, UK